

ENETS Consensus Guidelines for the Diagnosis and Treatment of Neuroendocrine Gastrointestinal Tumors Part 2 – Midgut and Hindgut Tumors

Guest Editors

Wouter W. de Herder, Rotterdam

Dermot O'Toole, Dublin

Guido Rindi, Parma

Bertram Wiedenmann, Berlin

7 figures, 4 in color, and 5 tables, 2008

KARGER

Basel • Freiburg • Paris • London • New York •
Bangalore • Bangkok • Singapore • Tokyo • Sydney

S. Karger
Medical and Scientific Publishers
Basel • Freiburg • Paris • London
New York • Bangalore • Bangkok
Singapore • Tokyo • Sydney

Disclaimer

The statements, opinions and data contained in this publication are solely those of the individual authors and contributors and not of the publisher and the editor(s). The appearance of advertisements in the journal is not a warranty, endorsement, or approval of the products or services advertised or of their effectiveness, quality or safety. The publisher and the editor(s) disclaim responsibility for any injury to persons or property resulting from any ideas, methods, instructions or products referred to in the content or advertisements.

Drug Dosage

The authors and the publisher have exerted every effort to ensure that drug selection and dosage set forth in this text are in accord with current recommendations and practice at the time of publication. However, in view of ongoing research, changes in government regulations, and the constant flow of information relating to drug therapy and drug reactions, the reader is urged to check the package insert for each drug for any change in indications and dosage and for added warnings and precautions. This is particularly important when the recommended agent is a new and/or infrequently employed drug.

All rights reserved.

No part of this publication may be translated into other languages, reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, recording, microcopying, or by any information storage and retrieval system, without permission in writing from the publisher or, in the case of photocopying, direct payment of a specified fee to the Copyright Clearance Center (see 'General Information').

© Copyright 2008 by S. Karger AG,
P.O. Box, CH-4009 Basel (Switzerland)
Printed in Switzerland
on acid-free and non-aging paper (ISO 9706) by
Reinhardt Druck, Basel
ISBN 978-3-8055-8459-3

KARGER

Fax +41 61 306 12 34
E-Mail karger@karger.ch
www.karger.com

Contents

Introduction

5 Consensus Guidelines for the Management of Patients with Digestive Neuroendocrine Tumors: The Second Event and Some Final Considerations

Rindi, G. (Parma); de Herder, W.W. (Rotterdam); O'Toole, D. (Angers); Wiedenmann, B. (Berlin)

ENETS Guidelines

8 Consensus Guidelines for the Management of Patients with Digestive Neuroendocrine Tumors – Well-Differentiated Jejunal-Ileal Tumor/Carcinoma

Eriksson, B. (Uppsala); Klöppel, G. (Kiel); Krenning, E. (Rotterdam); Ahlman, H. (Gothenburg); Plöckinger, U.; Wiedenmann, B. (Berlin); Arnold, R.; Auernhammer, C. (Munich); Körner, M. (Bern); Rindi, G. (Parma); Wildi, S. (Zürich) all other Frascati Consensus Conference participants

20 Consensus Guidelines for the Management of Patients with Digestive Neuroendocrine Tumours: Well-Differentiated Tumour/Carcinoma of the Appendix and Goblet Cell Carcinoma

Plöckinger, U. (Berlin); Couvelard, A. (Clichy); Falconi, M. (Verona); Sundin, A. (Uppsala); Salazar, R. (Barcelona); Christ, E. (Bern); de Herder, W.W. (Rotterdam); Gross, D. (Jerusalem); Knapp, W.H. (Hannover); Knigge, U.P. (Copenhagen); Kulke, M.H. (Boston, Mass.); Pape, U.F. (Berlin) all other Frascati Consensus Conference participants

31 Consensus Guidelines for the Management of Patients with Digestive Neuroendocrine Tumours: Well-Differentiated Colon and Rectum Tumour/ Carcinoma

Ramage, J.K. (Basingstoke); Goretzki, P.E. (Neuss); Manfredi, R. (Verona); Komminoth, P. (Baden); Ferone, D. (Genoa); Hyrdel, R. (Martin); Kaltsas, G. (Athens); Kelestimir, F. (Kayseri); Kvols, L. (Tampa, Fla.); Scoazec, J.-Y. (Lyon); Sevilla Garcias, M.I. (Malaga); Caplin, M.E. (London) all other Frascati Consensus Conference participants

40 Poorly-Differentiated Endocrine Carcinomas of Midgut and Hindgut Origin

Ahlman, H.; Nilsson, O. (Göteborg); McNicol, A.M. (Glasgow); Ruzniewski, P. (Clichy); Niederle, B. (Vienna); Ricke, J. (Magdeburg); Jensen, R. (Bethesda, Md.); Kos-Kudła, B. (Zabrze); Öberg, K. (Uppsala); O'Connor, J.M. (Buenos Aires); Pavel, M.E. (Berlin); Vullierme, M.P. (Clichy) all other Frascati Consensus Conference participants

47 Consensus Guidelines for the Management of Patients with Liver Metastases from Digestive (Neuro)endocrine Tumors: Foregut, Midgut, Hindgut, and Unknown Primary

Steinmüller, T. (Berlin); Kianmanesh, R. (Colombes); Falconi, M.; Scarpa, A. (Verona); Taal, B. (Amsterdam); Kwekkeboom, D.J. (Rotterdam); Lopes, J.M. (Porto); Perren, A. (Zürich); Nikou, G. (Athens); Yao, J. (Houston, Tex.); Delle Fave, G.F. (Rome); O'Toole, D. (Angers) all other Frascati Consensus Conference participants

63 Author Index