



Proceedings of the International Symposium on Endocrine Therapy

Monaco, November 19–21, 1988

Guest Editor
Basil A. Stoll, St Thomas' Hospital, London

 KARGER

The International Symposium on Endocrine Therapy, sponsored by ICI Pharmaceuticals, took place from Saturday, 19 November to Monday, 21 November, 1988 at the Monte Carlo Convention Centre and Auditorium (CCAM) and at the Hotel Loews, Monte Carlo, Monaco.

Patron:

Professor M Tubiana, Institut Gustav Roussy, Villejuif, France

Chairmen:

R E Mansel, University of Wales College of Medicine, Cardiff, UK

M Pavone-Macaluso, University of Palermo, Palermo, Italy

S Khoury, Hôpital de la Pitié, Paris, France

P H Smith, St James Hospital, Leeds, UK

I Brosens, St Elizabeth Hospital, Brussels, Belgium

R Maheux, Hôpital St François d'Assise, Laval University, Quebec, Canada

I Fogelman, Guy's Hospital, London, UK

P Carbone, University of Wisconsin Clinical Cancer Center, Madison, USA

J Rouësse, Centre René Huguenin, Paris, France

O Abe, Keio University, Tokyo, Japan

F Cavalli, St Giovanni Hospital, Bellinzona, Switzerland

M Abeloff, Johns Hopkins Oncology Centre, Baltimore, USA

M Kaufmann, University Hospital, Heidelberg, W Germany

A L Harris, Churchill Hospital, Oxford, UK

Published in collaboration with MEDIQ Ltd., London (UK)

S. Karger · Medical and Scientific Publishers
Basel · München · Paris · London · New York · New Delhi · Bangkok · Singapore · Tokyo · Sydney

Drug Dosage

The authors and the publisher have exerted every effort to ensure that drug selection and dosage set forth in this text are in accord with current recommendations and practice at the time of publication. However, in view of ongoing research, changes in government regulations, and the constant flow of information relating to drug therapy and drug reactions, the reader is urged to check the package insert for each drug for any change in indications and dosage and for added warnings and precautions. This is particularly important when the recommended agent is a new and/or infrequently employed drug.

All rights reserved.

No part of this publication may be translated into other languages, reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, recording, microcopying, or by any information storage and retrieval system, without permission in writing from the publisher or, in the case of photocopying, direct payment of a specified fee to the Copyright Clearance Center (see 'Information for Readers and Subscribers').

© Copyright 1989 by S. Karger AG, P.O. Box, CH-4009 Basel (Switzerland)
Printed in United Kingdom by
Brier Press Ltd., High Wycombe, Buckinghamshire (UK)
ISBN 3-8055-5105-3